




HORIZONTAL DATA SHEET

SERIES	MODEL	EVAP. CLG. CAP. BTU/HR	HEATING CAPACITY BTU/HR	EER	COP	AIR FLOW RATE CFM	MIN. FUSE AMPS	MAX FUSE AMPS	FAN MOTOR HP	FILTER	QTY	WIDTH	LENGTH	HEIGHT	WATER IN	DRAIN	WEIGHT	WATER FLOW GPM
GCHP	01024H	25500	27500	17.0	5.0	800	19.0	30	1/3	20X20X1	1	21.50	33.50	20.75	3/4"	3/4"	208	6.00
GCHP	01031H	31000	36000	16.0	4.8	1000	24.0	35	3/4	20X20X1	1	21.50	33.50	20.75	3/4"	3/4"	210	7.50
GCHP	01036H	36000	40000	16.0	4.8	1200	27.0	40	3/4	20X20X1	1	21.50	33.50	20.75	3/4"	3/4"	215	9.00
GCHP	01041H	41000	47000	16.0	4.8	1400	28.0	45	3/4	20X20X1	1	21.50	33.50	20.75	3/4"	3/4"	215	10.50
GCHP	01048H	51000	58000	18.0	5.0	1600	36.0	60	3/4	20X20X1	2	26.00	45.50	21.00	1"	3/4"	330	12.00
GCHP	01060H	60000	70000	16.0	4.5	1900	39.0	60	1	20X20X1	2	26.00	45.50	21.00	1"	3/4"	340	15.00
GCHP	01072H	72000	87000	13.0	4.2	1800	44.0	60	3/4	20X20X1	2	36.00	80.00	21.25	1"	1"	350	18.00
GCHP	01090H	90000	109500	14.0	4.5	3000	30.0	45	2	20X20X1	4	36.00	80.00	21.25	1-1/2"	1"	650	24.00
GCHP	01120H	119000	138000	14.0	4.3	3800	48.0	60	3/4X2	20X20X1	4	36.00	80.00	21.25	1-1/2"	1"	650	30.00
GCHP	01144H	140000	161000	13.0	4.3	4400	58.0	70	1x2	20X20X1	4	36.00	80.00	21.25	1-1/2"	1"	750	36.00
GCHP	01184H	170000	197000	14.0	4.7	6000	61.0	80	3x2	20X20X1	4	36.00	80.00	21.25	1-1/2"	1"	750	46.00

TOP VIEW CABINET & AIRFLOW CONFIGURATION



NOTES: All dimensions within +/- 0.125"
Specifications are subject to change without notice.